



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/645,000

08/20/2003

Andrew H. Segal

11111/2002

6058

29933 7590 03/21/2008  
Edwards Angell Palmer & Dodge LLP  
111 HUNTINGTON AVENUE  
BOSTON, MA 02199

EXAMINER

BLUMEL, BENJAMIN P

ART UNIT

PAPER NUMBER

1648

MAIL DATE

DELIVERY MODE

03/21/2008

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/645,000	<b>Applicant(s)</b> SEGAL ET AL.	
	<b>Examiner</b> BENJAMIN P. BLUMEL	<b>Art Unit</b> 1648	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 12 December 2007.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-78 is/are pending in the application.
- 4a) Of the above claim(s) 3-8 and 35-73 is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1,2,9-34 and 74-78 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)          | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)          | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____  | 6) <input type="checkbox"/> Other: _____                          |

### **DETAILED ACTION**

Applicants are informed that the rejections of the previous Office action not stated below have been withdrawn from consideration in view of the Applicant's arguments and/or amendments.

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

#### ***Election/Restrictions***

Applicant's election of a ligand for GM-CSF receptor and a viral antigen in the reply filed on December 14, 2006 is acknowledged. Because applicant did not distinctly and specifically point out the supposed errors in the restriction requirement, the election has been treated as an election without traverse (MPEP § 818.03(a)).

Claims 3-8 and 35-73 are withdrawn from further consideration pursuant to 37 CFR 1.142(b) as being drawn to nonelected species, there being no allowable generic or linking claim. Election was made **without** traverse in the reply filed on December 14, 2006.

Claims 1, 2, 9-34 and 74-78 are examined on the merits.

#### ***Response to Arguments***

Applicant's arguments with respect to claims 1, 2, 9-34 and 74-78 have been considered but are moot in view of the new ground(s) of rejection. However, responses to applicant's arguments directed to prior cited references are presented below.

#### ***Double Patenting***

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent

Art Unit: 1648

and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

**(New Rejection)** Claims 1, 2, 11, 12, 25-28 and 77 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-3, 5 and 9-13 of copending Application No. 10/666,833. Although the conflicting claims are not identical, they are not patentably distinct from each other because both inventions are drawn to vaccine comprising an antigen bearing target, such as a virus or viral component and a fusion protein of a first amino acid sequence of a naturally occurring lectin, which can bind a carbohydrate, particularly sialic acids on said glycoprotein and a second amino acid sequence of a ligand for a cytokine receptor on the surface of a dendritic professional antigen presenting cell (APC). Therefore, the invention of '833 anticipates that of the instant invention.

This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Art Unit: 1648

**(New Rejection)** Claims 1, 2, 25-28 and 77 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-3, 5 and 9-13 of copending Application No. 10/666,886. Although the conflicting claims are not identical, they are not patentably distinct from each other because even though the invention of '886 does not teach the limitation of a carbohydrate binding amino acid sequence this invention is an obvious variant of the instant invention since both inventions are drawn to vaccine comprising an antigen bearing target, such as a virus or viral component and a fusion protein of a first amino acid sequence and a second amino acid sequence of a ligand for a cytokine receptor on the surface of a dendritic professional antigen presenting cell (APC). Therefore, the instant invention is unpatentable in view of '886.

This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

**(New Rejection)** Claims 1, 2, 9-29, 31, 32, 34, 74 and 75 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 74-95, 97, 98, 100, 140, 141 and 143-147 of copending Application No. 10/666,885 in view of Hoo (US 5,891,432-see below).

The copending invention which is drawn to a cell comprising a nucleic acid molecule encoding a fusion protein of an influenza virus hemagglutinin antigen and a ligand for a dendritic professional antigen presenting cell (APC), such as GM-CSF, in view of Hoo which teaches to use antigen bearing targets in the form of cells and components thereof to formulate vaccine candidates. Antigen bearing targets are defined

Art Unit: 1648

on page 2 of the specification of the instant invention as, "an "antigen bearing target" is an entity which comprises an antigen. As used herein an "antigen bearing target" includes, for example, a whole cell which expresses an antigen a cell fraction comprising an antigen, a membrane fraction comprising an antigen, a virus comprising an antigen, a viral particle comprising an antigen, or an antigen, e.g. a polypeptide antigen, which may be free of any other cell-derived or virus-derived material. Cellular fractions may be prepared using methods known to those of skill in the art such as those taught in Cell Biology A Laboratory Handbook (Academic Press 1994 Editor J. E. Celis ISBN 0-12-164715-3)." Therefore, given that one skilled in the art would have a reasonable expectation of success at formulating the claimed vaccine composition based on the copending invention and the teachings of Hoo, the instant invention is an obvious variant and is unpatentable.

This is a provisional obviousness-type double patenting rejection.

**(New Rejection)** Claims 1, 2, 9-29, 31, 32, 34 and 74-78 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1, 2, 8-28, 30, 32, 33 and 73-77 of copending Application No. 10/666,834 in view of Hoo (US 5,891,432-see below).

The copending invention which is drawn to a cell comprising a nucleic acid molecule encoding a fusion protein of an influenza virus hemagglutinin antigen and a ligand for a dendritic professional antigen presenting cell (APC), such as GM-CSF, in view of Hoo which teaches to use antigen bearing targets in the form of cells and components thereof to formulate vaccine candidates. Antigen bearing targets are defined

Art Unit: 1648

on page 2 of the specification of the instant invention as, “an ‘antigen bearing target’ is an entity which comprises an antigen. As used herein an ‘antigen bearing target’ includes, for example, a whole cell which expresses an antigen a cell fraction comprising an antigen, a membrane fraction comprising an antigen, a virus comprising an antigen, a viral particle comprising an antigen, or an antigen, e.g. a polypeptide antigen, which may be free of any other cell-derived or virus-derived material. Cellular fractions may be prepared using methods known to those of skill in the art such as those taught in Cell Biology A Laboratory Handbook (Academic Press 1994 Editor J. E. Celis ISBN 0-12-164715-3).” Therefore, given that one skilled in the art would have a reasonable expectation of success at formulating the claimed vaccine composition based on the copending invention and the teachings of Hoo, the instant invention is an obvious variant and is unpatentable.

This is a provisional obviousness-type double patenting rejection.

**(New Rejection)** Claims 1, 2, 9-34 and 74-78 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-5, 8-33 and 73-77 of copending Application No. 10/667,166 in view of Hoo (US 5,891,432-see below).

The copending invention which is drawn to a cell comprising a nucleic acid molecule encoding a fusion protein of an influenza virus hemagglutinin antigen and a ligand for a dendritic professional antigen presenting cell (APC), such as GM-CSF, in view of Hoo which teaches to use antigen bearing targets in the form of cells and components thereof to formulate vaccine candidates. Antigen bearing targets are defined

Art Unit: 1648

on page 2 of the specification of the instant invention as, “an "antigen bearing target" is an entity which comprises an antigen. As used herein an "antigen bearing target" includes, for example, a whole cell which expresses an antigen a cell fraction comprising an antigen, a membrane fraction comprising an antigen, a virus comprising an antigen, a viral particle comprising an antigen, or an antigen, e.g. a polypeptide antigen, which may be free of any other cell-derived or virus-derived material. Cellular fractions may be prepared using methods known to those of skill in the art such as those taught in Cell Biology A Laboratory Handbook (Academic Press 1994 Editor J. E. Celis ISBN 0-12-164715-3).” Therefore, given that one skilled in the art would have a reasonable expectation of success at formulating the claimed vaccine composition based on the copending invention and the teachings of Hoo, the instant invention is an obvious variant and is unpatentable.

This is a provisional obviousness-type double patenting rejection.

***Claim Rejections - 35 USC § 102***

**(New Rejection)** Claims 1, 9, 10, 12, 22, 23, 25-31 and 76-78 are rejected under 35 U.S.C. 102(b) as being anticipated by Hoo (US 5,891,432) as evidenced by Erbe et al. (Journal of Cell Biology, 1993) and Cantrell et al. (PNAS, 1985).

The claimed invention is drawn to a vaccine composition containing an antigen bearing target and a fusion polypeptide containing a first amino acid sequence of a naturally occurring lectin and a second amino acid sequence comprising a ligand for a cytokine receptor. The multi-functional molecule is a fusion polypeptide wherein the first amino acid sequence is N-terminal or C-terminal to the second amino acid sequence. The ligand is specific for a mouse cell surface polypeptide, such as leukocytes,



Art Unit: 1648

professional antigen presenting cells, such as dendritic cells. The multi-functional molecule can be bound or unbound to the antigen bearing target. It is noted that on page 2 of the specification, "an "antigen bearing target" is an entity which comprises an antigen. As used herein an "antigen bearing target" includes, for example, a whole cell which expresses an antigen a cell fraction comprising an antigen, a membrane fraction comprising an antigen, a virus comprising an antigen, a viral particle comprising an antigen, or an antigen, e.g. a polypeptide antigen, which may be free of any other cell-derived or virus-derived material. Cellular fractions may be prepared using methods known to those of skill in the art such as those taught in Cell Biology A Laboratory Handbook (Academic Press 1994 Editor J. E. Celis ISBN 0-12-164715-3)."

Hoo teaches the use of vaccines comprising antigen bearing targets, such as cells that express a fusion polypeptide based on one amino acid sequence of P-selectin fused with either a second amino acid sequence of murine GM-CSF or IL-2. The P-selectin employed (a natural lectin) inherently has a carbohydrate binding domain as evidenced by the teachings of Erbe et al. In addition, the murine GM-CSF used contains at least five contiguous amino acids which the human form also contains as evidenced by Cantrell et al. and that professional APCs, such as dendritic cells, contain receptors for GM-CSF. Hoo also teaches that the fusion polypeptides can be formed by fusing the lectin to the N- or C- terminus of the GM-CSF peptide and that the fusion polypeptide can be either attached or unattached to the antigen bearing target (i.e., cell). Therefore, Hoo anticipate the claimed invention as evidenced by Erbe et al. and Cantrell et al.

***Claim Rejections - 35 USC § 103***

**(New Rejection)** Claims 1, 2, 9-20, 22-34 and 76-78 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hoo *supra*, Erbe et al. *supra*, Cantrell et al. *supra*, Faulkner et al. (International Immunology, 2001) and Operschall et al. (Journal of Clinical Virology, 1999).

The claimed invention is also drawn to a vaccine comprising a 10 amino acid fragment of influenza hemagglutinin (HA) fused with a ligand for a cytokine receptor. Additionally, the HA fragment is of the influenza virus A/PR/8/34, or an H3 or H2 virus and is N-terminal or C-terminal to the ligand. The HA, a naturally occurring Lectin, is capable of binding to a carbohydrate structure with sialic acids.

The teachings of Hoo are discussed above, however Hoo does not discuss the use of influenza hemagglutinin as the naturally occurring lectin.

The teachings of Erbe et al. are discussed above.

The teachings of Cantrell et al. are discussed above.

Faulkner et al. teach the development of a chimeric vaccine comprising 10 amino acid region of HA from Influenza virus A/PR/8/34 linked to IL-2 and the importance of researching other chimeric cytokine-antigen vaccines that provide the therapeutic effects of the cytokine with the antigenic properties of the antigen in addition to improving the half-life of the cytokine *in vivo*. Some examples of cytokine candidates are IFN- $\gamma$ , GM-CSF, IL-4, and IL-10 since the respective receptors are expressed by Dendritic Cells (DCs), which also function as antigen presenting cells, as also discussed by Faulkner et al. Faulkner et al. further teach the use of the HA-IL-2 chimeric in the activation of bone marrow-derived dendritic cells with compared to treatments with separated HA and IL-2.

Art Unit: 1648

Even though did not administer the chimeric vaccine to an animal, Faulkner et al. observed an increased T cell activation by way of antigen presentation of the chimeric composition from DCs and they also disclose that previous studies pertaining to *in vivo* activity of similar chimeras have been analyzed.

Operschall et al. teach the co-administration of plasmid DNA that encodes Influenza A/PR/8/34 hemagglutinin and mouse GM-CSF to mice in order to protect against viral infection. Operschall et al. observed that the cytokine-antigen combination possess adjuvant properties.

It would have been obvious to one of ordinary skill in the art to modify the compositions taught by Hoo (and evidenced by Erbe et al. and Cantrell et al.) and Faulkner et al. in order to link hemagglutinin from PR8 to GM-CSF as part of immunogenic composition also containing an antigen bearing target as discussed above. One would have been motivated to do so, given the suggestion by Hoo and Faulkner et al. that the method be used to produce fusion polypeptides with lectins fused to cytokines, particularly using influenza HA and GM-CSF. There would have been a reasonable expectation of success, given the knowledge that the co-administration of influenza HA and mouse GM-CSF have adjuvant related properties, as taught by Operschall et al. Thus the invention as a whole was clearly *prima facie* obvious to one of ordinary skill in the art at the time the invention was made.

**(New Rejection)** Claims 1, 2, 9-34 and 76-78 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hoo *supra*, Faulkner et al. *supra*, Operschall et al. *supra* and Nobusawa et al. (Virology, 1991).

Art Unit: 1648

The claimed invention as discussed above, is also drawn the hemagglutinin being derived from a virus that may not infect humans.

The teachings of Hoo are discussed above; however Hoo does not discuss the use of influenza hemagglutinin as the lectin from a virus that does not infect humans.

The teachings of Erbe et al. are discussed above.

The teachings of Cantrell et al. are discussed above.

The teachings of Faulkner et al. are discussed above.

The teachings of Operschall et al. are discussed above.

Nobusawa et al. teach the comparison of 13 HA serotypes of Influenza A viruses. In particular, Nobusawa et al. H2, H3, H8 and H12, of which, H8 and H12 serotype viruses are not known to have infected humans as of yet.

It would have been obvious to one of ordinary skill in the art to modify the composition taught by Hoo (and evidenced by Erbe et al. and Cantrell et al.) and Faulkner et al. in order to link hemagglutinin from PR8 to GM-CSF as part of immunogenic composition also containing an antigen bearing target as discussed above. One would have been motivated to do so, given the suggestion by Hoo and Faulkner et al. that the method be used to produce fusion polypeptides with lectins fused to cytokines, particularly using influenza HA and GM-CSF. There would have been a reasonable expectation of success, given the knowledge that the co-administration of influenza HA and mouse GM-CSF have adjuvant related properties, as taught by Operschall et al., and also given the knowledge that various Influenza A hemagglutinin antigens (H2, H3, H8 and H12) are known based on sequence analysis, as taught by Nobusawa et al. Thus the

Art Unit: 1648

invention as a whole was clearly *prima facie* obvious to one of ordinary skill in the art at the time the invention was made.

**(New Rejection)** Claims 1, 9, 10, 12, 22, 23, 25-31 and 74-78 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hoo *supra*, Erbe et al. *supra*, Cantrell et al. *supra*, Guillett et al. (European Journal of Biochemistry, 2002) and Robinson et al. (PNAS, 1998).

The claimed invention as discussed above, is also drawn to the ligand is mouse or human GM-CSF that is fused with the HA antigen via a Gly-Ser linker with the HA antigen at the C-terminus of GM-CSF.

The teachings of Hoo are discussed above; however Hoo does not discuss the use of the claimed Glycine-Serine linker of claims 74 and 75.

The teachings of Erbe et al. are discussed above.

The teachings of Cantrell et al. are discussed above.

Guillett et al. teach linking of a cytokine, cardiotrophin-like cytokine (CLC), with a recombinant neurotrophic factor (CNTF) receptor via a Glycine-Serine linker (G<sub>4</sub>S)<sub>2</sub>. Guillett et al. observed an increase in stability among the chimeric complex.

Robinson et al. teach the identification of an ideal Glycine-Serine linker length and composition for the Arc repressor dimer. Robinson et al. discuss that identifying a linker, which improves desired properties (i.e. flexibility, stability, increased *in vivo* half-life) of a protein complex would prove to be a very important discovery. Through their random Arc-linker-Arc constructs, Robinson et al. identified an ideal linker with 7 serines and 9 glycines.

Art Unit: 1648

It would have been obvious to one of ordinary skill in the art to modify the composition taught by Hoo (and evidenced by Erbe et al. and Cantrell et al.) in order to use a Gly-Ser based linker in forming the fusion polypeptide. One would have been motivated to do so, given the suggestion by Hoo that the method be used to produce a fusion protein comprising a cell membrane binding protein to a cytokine through linkage domain. There would have been a reasonable expectation of success, given the knowledge that the stability of a cytokine-heterologous protein chimera improved by a 10-mer linker of Glycine-Serine and in the case of a recombinant repressor which is stabilized by a 16-mer Glycine-Serine linker, as taught by Guillett et al. and Robinson et al., respectively. Thus the invention as a whole was clearly *prima facie* obvious to one of ordinary skill in the art at the time the invention was made.

**Responses:**

Applicants argue that Faulkner et al. do not teach the claimed antigen bearing target in conjunction with the fusion polypeptide of a carbohydrate binding HA fused to GM-CSF. Applicants also argue that Faulkner et al. do not teach a vaccine comprising the above mentioned composition. In response, it is acknowledged that Faulkner et al. do not teach the exactly claimed composition, however, Faulkner et al. do teach how to make a fusion polypeptide containing an influenza PR8 HA segment linked to IL-2 which can be used to activate dendritic cells.

Applicants further argue that the teachings of Faulkner et al. do not suggest to substitute their HA fragment with a sialic acid binding domain of HA and if they did, one would expect the binding affinity to inhibit the interaction between the GM-CSF and its cellular receptor. However, even though Hoo employ a different lectin than Faulkner et

Art Unit: 1648

al. he is able to effectively use the fusion polypeptide without inhibiting the GM-CSF activity.

Applicants argue that Operschall et al. do not teach the fusion construct of influenza HA and GM-CSF, only dual plasmid immunization. In response, it is acknowledged that Operschall et al. do not teach the claimed fusion polypeptide, but they do teach the adjuvant effects that expressed GM-CSF and influenza HA have on protecting mice from influenza infections.

Applicants also argue that Guillett et al. and Robinson et al. do not supply the missing teachings with regard to antigen bearing targets and fusion polypeptides of influenza HA and cytokine receptor ligands, such as GM-CSF. In response, this is acknowledged, however these references do teach fusing heterologous polypeptides with Glycine-Serine linkers which increase their stability.

### ***Claim Rejections - 35 USC § 112***

Claims 14 and 16 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Claim 14 recites the limitation "said hemagglutinin" in line 1. There is insufficient antecedent basis for this limitation in the claim.

### ***Summary***

No claims are allowed.

Art Unit: 1648

***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to BENJAMIN P. BLUMEL whose telephone number is (571)272-4960. The examiner can normally be reached on M-F, 8-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bruce Campell can be reached on 571-272-1600. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/BENJAMIN P BLUMEL/  
Examiner  
Art Unit 1648

/Bruce Campell/  
Supervisory Patent Examiner, Art Unit 1648